### **Chapter 8 Lecture**

## Chapter 8: Formation of the Solar System


BENNETT DONAHUE SCHNEIDER VOIT

### 置 ECOSMIC PERSPECTIVE

EIGHTH EDITION

© 2017 Pearson Education, Inc.

## **Formation of the Solar System**



## 8.1 The Search for Origins

- Our goals for learning:
  - How did we arrive at a theory of solar system formation?
  - Where did the solar system come from?

# How did we arrive at a theory of solar system formation?

- Four major features needed to be explained
- Several reasonable hypotheses were explored
  - Nebular hypothesis
  - Close encounter hypothesis

# What properties of our solar system must a formation theory explain?

- 1. Patterns of motion of the large bodies
  - Orbit in same direction and plane
- 2. Existence of two types of planets
  - Terrestrial and jovian
- 3. Existence of smaller bodies
  - Asteroids and comets
- 4. Notable exceptions to usual patterns
  - Rotation of Uranus, Earth's Moon, etc.

# **Nebular Theory**

- The *nebular theory* states that our solar system formed from the gravitational collapse of a giant interstellar gas cloud—the *solar nebula*.
  - (*Nebula* is the Latin word for cloud.)
- Kant and Laplace proposed the *nebular hypothesis* over two centuries ago.
- A large amount of evidence now supports this idea.

## **Close Encounter Hypothesis**


- A rival idea proposed that the planets formed from debris torn off the Sun by a close encounter with another star.
- That hypothesis could not explain observed motions and types of planets.

### Where did the solar system come from?



© 2017 Pearson Education, Inc.


# **Galactic Recycling**



 Elements that formed planets were made in stars and then recycled through interstellar space.

## **Evidence from Other Gas Clouds**

 We can see stars forming in other interstellar gas clouds, lending support to the nebular theory.




## What have we learned?

- How did we arrive at a theory of solar system formation?
  - Hypotheses arose to explain four major features of the solar system
  - Testing and observation leads from hypothesis to theory.
- Where did the solar system come from?
  - The nebular theory states that solar system formed from a large interstellar gas cloud.
  - Galactic recycling built the elements from which planets formed.


# 8.2 Explaining the Major Features of the Solar System

- Our goals for learning:
  - What caused the orderly patterns of motion in our solar system?
  - Why are there two major types of planets?
  - Where did asteroids and comets come from?
  - How do we explain "exceptions to the rules"?

# What caused the orderly patterns of motion in our solar system?



Large bodies in the solar system have orderly motions. All planets have nearly circular orbits going in the same direction in nearly the same plane. Most large moons orbit their planets in this same direction, which is also the direction of the Sun's rotation.




## **Conservation of Angular Momentum**



- Rotation speed of the cloud from which our solar system formed must have increased as the cloud contracted.
- Rotation of a contracting cloud speeds up for the same reason a skater speeds up as she pulls in her arms.

## **Flattening**




 Collisions between particles in the cloud caused it to flatten into a disk.

# Flattening

- Collisions between gas particles in cloud gradually reduce random motions.
- Collisions between gas particles also reduce up and down motions.
- Spinning cloud flattens as it shrinks.

### **Disks around Other Stars**




b The inset, from the Atacama Large Millimeter/submillimeter Array (ALMA), shows a disk around a star named HL Tauri; the concentric gaps in the disk are almost certainly regions being cleared as planets form. The disk diameter is about three times that of Neptune's orbit around the Sun. The background image, from the Hubble Space Telescope, shows the star-forming region in which this disk is located. Another disk, seen edge-on with jets extending outward, appears at lower right.

Observations of disks around other stars support the nebular hypothesis.

disk

### **Disks around Other Stars**



• The gaps in this protoplanetary disk, as imaged by ALMA, are likely due to forming planets.

# Why are there two major types of planets?



Planets fall into two major categories: Small, rocky terrestrial planets and large, hydrogen-rich jovian planets.





jovian planet




#### **Terrestrial Planets:**

- small in mass and size
- close to the Sun
- made of metal and rock
- few moons and no rings

#### Jovian Planets:

- large mass and size
- far from the Sun
- made of H, He, and hydrogen compounds
- rings and many moons

## **Conservation of Energy**




- Inside the *frost line*: too hot for hydrogen compounds to form ices
- Outside the *frost line*: cold enough for ices to form

## How did the terrestrial planets form?

- Small particles of rock and metal were present inside the frost line.
- Planetesimals of rock and metal built up as these particles collided.
- Gravity eventually assembled these planetesimals into terrestrial planets.
  - This process is called *accretion*.

## **Accretion of Planetesimals**




Many smaller objects collected into just a few large ones.

## How did the jovian planets form?

- Ice could also form small particles outside the frost line.
- Larger planetesimals and planets were able to form.
- Gravity of these larger planets was able to draw in surrounding H and He gases.

## How did the jovian planets form?




Moons of jovian planets form in miniature disks.

## How did the jovian planets form?


 A combination of photons and the solar wind outflowing matter from the Sun—blew away the leftover gases.

## **Solar Rotation**




- In nebular theory, young Sun rotated much faster than now.
- Friction between solar magnetic field and solar nebular probably slowed the rotation over time.

# Where did asteroids and comets come from?






## **Asteroids and Comets**



- Leftovers from the accretion process
- Rocky asteroids inside frost line
- Icy comets outside frost line

# **Heavy Bombardment**



Leftover planetesimals bombarded other objects in the late stages of solar system formation.

# **Origin of Earth's Water**




 Water may have come to Earth by way of icy planetesimals.



© 2017 Pearson Education, Inc.

# How do we explain "exceptions to the rules"?




Hours later, our planet is completely molten and rotating very rapidly. Debris splashed out from Earth's outer layers is now in Earth orbit. Some debris rains back down on Earth, while some will gradually accrete to become the Moon.

Less than a thousand years later, the Moon's accretion is rapidly nearing its end, and relatively little debris still remains in Earth orbit.



## **Captured Moons**




a Phobos

#### **b** Deimos

 Unusual moons of some planets may be captured planetesimals.

# How do we explain the existence of our Moon?




**a** This Apollo photograph of the Moon shows that some areas are much more heavily cratered than others. (This view of the Moon is *not* the one we see from Earth.)

## **Giant Impact**



# **Odd Rotation**



 Giant impacts might also explain the different rotation axes of some planets.

# **Thought Question**


How would the solar system be different if the solar nebula had cooled, with a temperature half its actual value?

- a) Jovian planets would have formed closer to Sun.
- b) There would be no asteroids.
- c) There would be no comets.
- d) Terrestrial planets would be larger.

How would the solar system be different if the solar nebula had cooled, with a temperature half its actual value?

- a) Jovian planets would have formed closer to Sun.
- b) There would be no asteroids.
- c) There would be no comets.
- d) Terrestrial planets would be larger.

## Was our solar system destined to be?



- Formation of planets in the solar nebula seems inevitable.
- But details of individual planets could have been different.

Which of these facts is NOT explained by the nebular theory?

- a) There are two main types of planets: terrestrial and jovian.
- b) Planets orbit in same direction and plane.
- c) Existence of asteroids and comets.
- d) Number of planets of each type (four terrestrial and four jovian).

Which of these facts is NOT explained by the nebular theory?

- a) There are two main types of planets: terrestrial and jovian.
- b) Planets orbit in same direction and plane.
- c) Existence of asteroids and comets.
- d) Number of planets of each type (four terrestrial and four jovian).

## What have we learned?

- What caused the orderly patterns of motion in our solar system?
  - Solar nebula spun faster as it contracted because of conservation of angular momentum.
  - Collisions between gas particles then caused the nebula to flatten into a disk.
- Why are there two major types of planets?
  - Only rock and metals condensed inside the frost line.
  - Rock, metals, and ices condensed outside the frost line.
  - Larger planetesimals outside the frost line drew in H and He gas.


## What have we learned?

- Where did asteroids and comets come from?
  - They are leftover planetesimals, according to the nebular theory.
- How do we explain "exceptions to the rules"?
  - Bombardment of newly formed planets by planetesimals may explain the exceptions.


## 8.3 The Age of the Solar System

- Our goals for learning:
  - How do we measure the age of a rock?
  - How do we know the age of the solar system?

#### How do we measure the age of a rock?



## **Radioactive Decay**



time since rock formed (billions of years)

- Some isotopes decay into other nuclei.
- A half-life is the time for half the nuclei in a substance to decay.

Suppose you find a rock originally made of potassium-40, half of which decays into argon-40 every 1.25 billion years. You open the rock and find 15 atoms of argon-40 for every atom of potassium-40. How long ago did the rock form?

- a) 1.25 billion years ago
- b) 2.5 billion years ago
- c) 3.75 billion years ago
- d) 5 billion years ago

Suppose you find a rock originally made of potassium-40, half of which decays into argon-40 every 1.25 billion years. You open the rock and find 15 atoms of argon-40 for every atom of potassium-40. How long ago did the rock form?

- a) 1.25 billion years ago
- b) 2.5 billion years ago
- c) 3.75 billion years ago
- d) 5 billion years ago

# How do we know the age of the solar system?

- Radiometric dating tells us that oldest moon rocks are 4.4 billion years old.
- Oldest meteorites are 4.55 billion years old.
- Planets probably formed 4.5 billion years ago.

## What have we learned?

- How do we measure the age of a rock?
  - Some isotopes decay with a well-known half-life.
  - Comparing the proportions of those isotopes with their decay products tells us age of rock.
- How do we know the age of the solar system?
  - Radiometric dating indicates that planets formed 4.5 billion years ago.